

Monochrome plastic case dimmer




OFF  ON
0-100% stepless dimming

The knob monochromator is a controller that can achieve stepless dimming from 0-100%.


Product parameters

Product name: Monochrome plastic shell knob dimmer
Output power: 12V-96W, 24V-192W
Dimming range: 0-100% stepless dimming
Operating temperature: -20-60° C
Output: Single channel
Product net weight: ~50g

Schematic diagram of the connection



Product dimensions



The product is boxed



Package size	1PCS	Box size	50PCS
L100*W60*H60mm	0.6kgs	L420*W290*H300mm	7kg

Installatuon orecautions

1. This product should be debugged and installed by professionally qualified personnel.
2. This product cannot be waterproof, it is necessary to avoid sun and rain, if it is installed outdoors, please use a waterproof box.
3. Good heat dissipation conditions will prolong the service life of the LED controller, please install the product in a

well-ventilated environment.

4. Please do not install and use such products in lightning and thunder, strong magnetic field or high voltage occasions.

5. Please check whether the output voltage of the LED power supply used meets the requirements of the product voltage range.

6. The diameter of the wire used must be enough to load the LED lamp connected, and ensure that the wiring is firm, so as to avoid the wire overheating or poor contact triggering accidents.

7. Before power-on and commissioning, make sure that all wiring is correct to avoid damage to the lamps due to wiring errors.

After-sales service

1. Our LED controller products provide lifelong technical support and warranty services:

Free warranty: This product has quality problems within one year from the date of purchase, our company will give free repair or replacement service.

Paid warranty: Products that exceed the free warranty period will be charged a certain cost of maintenance materials.

2. The following situations are not covered by the free warranty or replacement service:

Damage caused by man-made such as overvoltage, overload, improper operation, etc.

Any wiring errors, flooding (non-waterproof products) and unauthorized repairs.

Any serious damage or serious deformation of the shape due to transportation, knocking.

The shape of the product is seriously damaged or deformed.

Damage caused by natural disasters and force majeure causes, such as earthquakes, floods, fires, etc.

3. The company's maximum responsibility for the factory products is to replace the same model and quantity of products.

4. In order to speed up the timeliness of repair or replacement, please indicate the fault phenomenon, the use environment, and the operation done when the fault occurs, so as to ensure that the maintenance situation is dealt with quickly.